Draft :

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Water Resources Department – M/s Oil and Natural Gas Corporation Limited (ONGC) - Laying the Pipeline of 4" dia and at a depth of 4 feet for a length of 2.90 KM along the Outer edge toe of left bank of Upper Kowshika Right Arm Major Drain from KM 11.00 to KM 13.90 in the village limits of K-Pedapudi (V) of Ambajipeta Mandal – Permission –Accorded – Orders - Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O.Rt.No. 79

Dated:20.02.2023
Read the following:-

1. G.O.Ms.No.95, Ind.Infrastructure, Investment & Com.(M-III) Dept., dt. 07.11.2019.
2. From the ENC (I), WRD, Lr. No. ENC(I)/DCE-DW/OT-6/AEE-21 (EG)/ONGC/Kowshika Drain, Dt. 20.12.2022.

***

ORDER

In the letter 2nd read above, the Engineer-in- Chief (I), Water Resources Department, Vijayawada based on the report of the Chief Engineer, Godavari Delta System, Dowlaiswaram, has recommended the proposal to the Government and requested to accord permission to M/s Oil and Natural Gas Corporation (ONGC), Rajahmundry for laying the pipeline with dia of 4" and at a depth of 4 feet for a length of 2.90 KM along the Outer edge Toe of Left bank of Upper Kowshika Right Arm Major Drain from KM 11.00 to KM 13.90 in the village limits of K-Pedapudi (V) of Ambajipeta Mandal, subject to certain terms and conditions.

2. Government after careful examination of the proposal, hereby accord permission to M/s Oil and Natural Gas Corporation (ONGC), Rajahmundry for laying of Pipeline with dia of 4" and at a depth of 4 feet for a length of 2.90 KM along the Outer edge Toe of Left bank of Upper Kowshika Right Arm Major Drain from KM 11.00 to KM 13.90 in the village limits of K-Pedapudi (V) of Ambajipeta Mandal, subject to the following terms & conditions :

(Contd... P. 2)

1. The ONGC shall deposit an amount of Rs. 3,00,000 /- in the shape of Demand Draft in favour of Executive Engineer, Drainage Division, Kakinada towards Restoration of damages, if any, occurred to the property of the water resources department during / after laying of pipeline. The Security Deposit amount is refundable and No objection certificate(NOC) has to be obtained from the concerned officials of Water Resources Department to get release of Security Deposit after 2 years of the completion of work.
2. The present cost of land for the area which is to be utilised for the laying of pipeline is arrived at 10% of the land value. Lease amount shall be paid by ONGC, Rajahmundry for the initial 5 years at a rate of Rs.12,21,811/- per annum in the shape of Demand Draft in favour of Executive Engineer, Drainage Division, Kakinada before commencement of work. The lease rental shall be enhanced in every block of 5 years by increasing up to 10% as fixed by the competent authority on the lease rental of the previous block of 5 years as per the Revenue (Assignment-I) Department G.O.Ms.No: 571 Dt:14.09.2012.
3. The proposed pipeline may be laid after obtaining permission from the Government duly subject to the removal of pipeline which was laid in the inner edge and restoring the bank in the original condition at the cost of the ONGC.
4. The pipeline should be laid at the Outer edge of the Left Bank of Upper Kowshika Right arm Major Drain in the available ROU of Drain land.
5. The depth and alignment at which pipeline is to be laid on Kowshika Drain along with necessary designs and drawing should get approved by Chief Engineer, Central Designs Organisation, Vijayawada.
6. This proposal for pipe line along the Drain Earthen Bank only, if pipeline crosses any WRD's Drain inlet structure like bridges, out fall sluices etc., separate permissions shall be obtained.
7. During the execution of work, proper safety precautionary measures shall be taken. If any damages to the Kowshika Drain during ONGC construction/ maintenance/ inspection activities, they shall be restored to the original standards immediately at the cost of the ONGC.
8. During laying of pipeline, obstruction should not be created for traffic on the bank.
9. The hydraulic standards of the Kowshika Drain should be maintained.
10. After execution of laying the pipeline, backfilling and compaction is to be done and bank is to be restored to desired profile, should be rolled and made free from undulations.
11. If any damage is caused to Crop or habitations in the vicinity, the sole responsibility shall lie with the ONGC and adequate compensation should be paid by the ONGC to the farmers or people affected with the damage.
12. Safety of the pipeline laid is the sole responsibility of the ONGC.
13. The ONGC has to intimate 15 days before commencement of work and the work has to be done under the close supervision of Water Resources Department staff only.

(Contd.. P.3)

14.The ONGC should not make any alterations of the proposals without the consent of Water Resources Department. Any maintenance/ repair works of the pipeline has to be carried out with the prior approval of the Water Resources Department.
15.The pipeline shall be used only for the purpose for which the permission has been granted.
16.The Department is no way responsible for any legal complications arising out of public or other on the above work operation of the ONGC.
17.If any modification is required to the pipeline in future due to development activity in the drains system, the pipeline shall suitably modified/ shifted or re-laid at the own cost of the ONGC within the time frame stipulated by the department and the ONGC should not ask for any compensation on this account.
18.The ONGC has to lay pipeline in such a way, that it would not cause any hindrance to the drain flow at any stage.
19.The ONGC has no right on the land, it is only temporary lease. The ONGC should not construct permanent or temporary structures on the drain bund.
20.The ONGC needs to ensure that the pipe line running along the drain bund is completely leak-proof.
21.The department reserves the right to cancel the permission without assigning any reason there off at any time.
22.ONGC shall install sign/ display boards at the entry and exit of the drain Bund showing necessary details.
23.Any other condition specified by the water resources department at a later stage, if found necessary, the same shall be binding on the ONGC.
24.The ancillary / incidental works as may be required by the Water Resources Department / Farmers Organization required for water supply has to be attended by the ONGC during execution.
25.At crossings where pipeline and channels are met with the alignment is to be taken away from the structures to a safe distance as directed by the Water Resources Department during the course of execution of work. The alignment shall not create any obstructions to modernization of Drainage system and the ONGC has to propose the alignment accordingly.
26.The Water Resources Department is not responsible for any leakage of gas within its jurisdiction or damages to the pipeline due to the routine activities of the Water Resources Department.
27.The ONGC shall not have any right to impose any penalties for the damages occur if any.
28.Valve chambers are to be provided away from the banks wherever necessary.
29.ONGC shall follow River Conservancy Rules.
30.Any damage caused to Government property should be rectified by the ONGC at their own cost.
31.Any recommendations / remedial measures made for protecting the

(Contd.. P. 4)

areas in marginal land that may be found necessary by the Water Resources Department during the course of operations should be done by the ONGC at their own cost.

32. The ONGC should make their own arrangements to safeguard their equipment. material and men during floods time. ONGC should take all necessary safety / precautionary measures and the firm has to maintain the entire system at their own cost as long as their operations exist.

33. If any deviations to the above conditions. it shall be deemed to automatic cancellation of the permission accorded.

3. The Engineer-in-Chief (Irrigation). Water Resources Department. Andhra Pradesh. Vijayawada. Chief Engineer. Godavari Delta System Dowlaiswaram and the Collector & District Magistrate. E.G. District. Rajahmundry shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Shashi Bhushan Kumar I A S
Principal Secretary To Government

To
The Engineer-in-Chief (Irrigation). Water Resources Department. Andhra Pradesh. Vijayawada.
The Chief Engineer. GDS, Dowlaiswaram.
The Collector & District Magistrate, E.G.District, Rajahmundry.
The Dy. General Manager(C&M). ONGC Ltd.. Godavari Bhavan. Rajahmundry Asset. Rajahmundry-533 106.

Copy to:
The Private Secretary to Hon'ble Minister for Water Resources Department
The Private Secretary to Prl. Secretary to Govt.. Water Resources Department. A.P.Secretariat.
The P.S. to the Spl. Chief Secretary to Govt.. I.I.I.&C(M-III) Dept A.P.Secretariat.
SC/SF

Despatch WATER RESOURCES DEPARTMENT SECRETARIAT, VELAGAPUDI, GUNTUR 20/2/2023

//FORWARDED::BY ORDER//

P.K. Bhaskar
SECTION OFFICER.

O/C

Signed by Shashi Bhushan Kumar I A S
Date: 19-02-2023 11 20:50
Reason: Approved

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Water Resources Department – M/s Oil and Natural Gas Corporation Limited (ONGC) - Laying the Pipeline of 4" dia and at a depth of 4 feet for a length of 2.90 KM along the Outer edge Toe of Left Bank of Upper Kowshika Right Arm Major Drain from KM 11.00 to KM 13.90 in the village limits of K-Pedapudi (V) of Ambajipeta Mandal – Permission – Accorded – Orders - Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O.Rt.No.79 **Dated:20.02.2023**

Read the following:-

1. G.O.Ms.No.95, Ind.Infrastructure, Investment & Com.(M-III) Dept., dt. 07.11.2019.
2. From the ENC (I), WRD, Lr. No. ENC(I)/DCE-DW/OT-6/AEE-21 (EG)/ONGC/Kowshika Drain, Dt. 20.12.2022.

***

O R D E R:

In the letter 2nd read above, the Engineer-in- Chief (Irrigation), Water Resources Department, Vijayawada based on the report of the Chief Engineer, Godavari Delta System, Dowlaiswaram, has recommended the proposal to the Government and requested to accord permission to M/s Oil and Natural Gas Corporation (ONGC), Rajahmundry for laying the pipeline with dia of 4" and at a depth of 4 feet for a length of 2.90 KM along the Outer edge Toe of Left Bank of Upper Kowshika Right Arm Major Drain from KM 11.00 to KM 13.90 in the village limits of K-Pedapudi (V) of Ambajipeta Mandal, subject to certain terms and conditions.

2. Government after careful examination of the proposal, hereby accord permission to M/s Oil and Natural Gas Corporation (ONGC), Rajahmundry for laying of Pipeline with dia of 4" and at a depth of 4 feet for a length of 2.90 KM along the Outer edge Toe of Left Bank of Upper Kowshika Right Arm Major Drain from KM 11.00 to KM 13.90 in the village limits of K-Pedapudi (V) of Ambajipeta Mandal, subject to the following terms & conditions :

1. The ONGC shall deposit an amount of Rs. 3,00,000 /- in the shape of Demand Draft in favour of Executive Engineer, Drainage Division, Kakinada towards Restoration of damages, if any, occurred to the property of the water resources department during / after laying of pipeline. The Security Deposit amount is refundable and No objection certificate(NOC) has to be obtained from the concerned officials of Water Resources Department to get release of Security Deposit after 2 years of the completion of work.
2. The present cost of land for the area which is to be utilised for the laying of pipeline is arrived at 10% of the land value. Lease amount shall be paid by ONGC, Rajahmundry for the initial 5 years at a rate of Rs.12,21,811/- per annum in the shape of Demand Draft in favour of Executive Engineer, Drainage Division, Kakinada before commencement of work. The lease rental shall be enhanced in every block of 5 years by increasing up to 10% as fixed by the competent authority on the lease rental of the previous block of 5 years as per the Revenue (Assignment-I) Department G.O.Ms.No: 571, Dt:14.09.2012.
3. The proposed pipeline may be laid after obtaining permission from the Government duly subject to the removal of pipeline which was laid in the

inner edge and restoring the bank in the original condition at the cost of the ONGC.

4. The pipeline should be laid at the Outer edge of the Left Bank of Upper Kowshika Right Arm Major Drain in the available ROU of Drain land.
5. The depth and alignment at which pipeline is to be laid on Kowshika Drain along with necessary designs and drawing should get approved by Chief Engineer, Central Designs Organisation, Vijayawada.
6. This proposal for pipe line along the Drain Earthen Bank only, if pipeline crosses any WRD's Drain inlet structure like bridges, out fall sluices etc., separate permissions shall be obtained.
7. During the execution of work, proper safety precautionary measures shall be taken. If any damages to the Kowshika Drain during ONGC construction/ maintenance/ inspection activities, they shall be restored to the original standards immediately at the cost of the ONGC.
8. During laying of pipeline, obstruction should not be created for traffic on the bank.
9. The hydraulic standards of the Kowshika Drain should be maintained.
10. After execution of laying the pipeline, backfilling and compaction is to be done and bank is to be restored to desired profile, should be rolled and made free from undulations.
11. If any damage is caused to Crop or habitations in the vicinity, the sole responsibility shall lie with the ONGC and adequate compensation should be paid by the ONGC to the farmers or people affected with the damage.
12. Safety of the pipeline laid is the sole responsibility of the ONGC.
13. The ONGC has to intimate 15 days before commencement of work and the work has to be done under the close supervision of Water Resources Department staff only.
14. The ONGC should not make any alterations of the proposals without the consent of Water Resources Department. Any maintenance/ repair works of the pipeline has to be carried out with the prior approval of the Water Resources Department.
15. The pipeline shall be used only for the purpose for which the permission has been granted.
16. The Department is no way responsible for any legal complications arising out of public or other on the above work operation of the ONGC.
17. If any modification is required to the pipeline in future due to development activity in the drains system, the pipeline shall suitably modified/ shifted or re-laid at the own cost of the ONGC within the time frame stipulated by the department and the ONGC should not ask for any compensation on this account.
18. The ONGC has to lay pipeline in such a way, that it would not cause any hindrance to the drain flow at any stage.
19. The ONGC has no right on the land, it is only temporary lease. The ONGC should not construct permanent or temporary structures on the drain bund.
20. The ONGC needs to ensure that the pipe line running along the drain bund is completely leak-proof.
21. The department reserves the right to cancel the permission without assigning any reason there off at any time.
22. ONGC shall install sign/ display boards at the entry and exit of the drain Bund showing necessary details.
23. Any other condition specified by the water resources department at a later stage, if found necessary, the same shall be binding on the ONGC.
24. The ancillary / incidental works as may be required by the Water Resources Department / Farmers Organization required for water supply has to be attended by the ONGC during execution.
25. At crossings where pipeline and channels are met with the alignment is to be taken away from the structures to a safe distance as directed by the Water Resources Department during the course of execution of work. The alignment shall not create any obstructions to modernization of Drainage system and the ONGC has to propose the alignment accordingly.

26. The Water Resources Department is not responsible for any leakage of gas within its jurisdiction or damages to the pipeline due to the routine activities of the Water Resources Department.
27. The ONGC shall not have any right to impose any penalties for the damages occur if any.
28. Valve chambers are to be provided away from the banks wherever necessary.
29. ONGC shall follow River Conservancy Rules.
30. Any damage caused to Government property should be rectified by the ONGC at their own cost.
31. Any recommendations / remedial measures made for protecting the areas in marginal land that may be found necessary by the Water Resources Department during the course of operations should be done by the ONGC at their own cost.
32. The ONGC should make their own arrangements to safeguard their equipment, material and men during floods time. ONGC should take all necessary safety / precautionary measures and the firm has to maintain the entire system at their own cost as long as their operations exist.
33. If any deviations to the above conditions, it shall be deemed to automatic cancellation of the permission accorded.

3. The Engineer-in-Chief (Irrigation), Water Resources Department, Andhra Pradesh, Vijayawada, Chief Engineer, Godavari Delta System, Dowlaiswaram and the Collector & District Magistrate, E.G. District, Rajahmundry shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNEMNT

To
The Engineer-in-Chief (Irrigation), Water Resources Department,
Andhra Pradesh, Vijayawada.
The Chief Engineer, GDS, Dowlaiswaram.
The Collector & District Magistrate, E.G.District, Rajahmundry.
The Dy. General Manager(C&M), ONGC Ltd., Godavari Bhavan,
Rajahmundry Asset, Rajahmundry-533 106.

Copy to:
The Private Secretary to Hon'ble Minister for Water Resources Department.
The Private Secretary to Prl. Secretary to Govt., Water Resources Department, A.P.Secretariat.
The P.S. to the Spl. Chief Secretary to Govt., I.I.I.&C(M-III) Dept., A.P.Secretariat.
SC/SF

//FORWARDED::BY ORDER//

P.C. Shanmukha

SECTION OFFICER.